

Igor Grosman, DO; F.A.S.G Alexander Brun, MD Prateek Chapalamadugu, MD Nancy Chen, MD Konstantin Peysin, DO

Konstantin Peysin, DO

Yevgeniy Mikityanskiy, DO

Board Certified in Gastroenterology & Hepatology E – Mail: info@TriboroughGI.com, www.TriboroughGI.com

Main Office	Endoscopy Center	Mount Sinai	New York Community	Staten Island Office	Statcare
1672-1674	214 Avenue P	Hospital Brooklyn	Hospital	2076 Hylan Blvd, Suite#2	2063 Bartow Ave
Sheepshead Bay Rd	(West 6 th & 7 th St)	3201 Kings Highway	2525 Kings Highway	Staten Island, NY 10306	Bronx, NY 10475
Brooklyn, NY 11235	Brooklyn, NY 11204	Brooklyn, NY 11234	Brooklyn, NY 11229	T- (718) 987-1700	T- (718) 332 - 0600
T- (718) 332 - 0600	T- (718) 339 - 5678	T- (718) 951 – 2801	T- (718) 692-5343		

<u>Colonoscopy - MoviPrep</u>

APPOINTMENT INFORMATION

Patient Name:	 	
Date:	 	

Time:

Surgical Center Appointment Cancellation Policy

We **require** that you give our office **24 Hours'** notice in the event that you need to **reschedule your appointment**. This allows for other patients to be scheduled into that appointment. If you miss an appointment without contacting our office within the required time, this is considered a missed appointment. **A FEE OF \$100 WILL BE CHARGED TO YOU.**

MOVIPREP INSTRUCTIONS:

One day before colonoscopy: <u>NO SOLID FOOD (NO BREAKFAST, LUNCH, or DINNER).</u>

You must maintain a clear liquid diet the entire day. Clear liquids include: broths, water, clear fruit juices (apple or white), soda, Gatorade, Jell-O, popsicles. Coffee or tea (no milk or cream). You may use sugar or lemon. Please do not have any dairy products, orange juice or <u>ANYTHING RED.</u>

Beginning at 5pm the day before colonoscopy:

- <u>Step 1:</u> Empty 1 Pouch A and 1 Pouch B into the disposable container. Add water (or Iced Tea) to the top line of the container. Mixed to dissolve.
- **Suggestion: Mix solution ahead of time and refrigerate prior to drinking. (Must use the solution within 24 hours.)
- <u>Step 2:</u> The Movieprep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 Oz), until the full liter is complete.
- Drink 16 Oz of the clear liquid of your choice.

Beginning at 9pm the day before colonoscopy:

- <u>Step 1:</u> Empty 1 Pouch A and 1 Pouch B into the disposable container. Add water (or Iced Tea) to the top line of the container. Mixed to dissolve.
- **Suggestion: Mix solution ahead of time and refrigerate prior to drinking. (Must use the solution within 24 hours.)
- <u>Step 2:</u> The Movieprep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 Oz), until the full liter is complete.
- Drink 16 Oz of the clear liquid of your choice.

Day of Colonoscopy: Remember

• Nothing to eat or drink before the exam!!!

** A responsible adult should accompany all patients the day of the procedure. No patient should drive the day of the colonoscopy.**

NOTE: ALL PATIENT'S MUST DO COVID-19 SWAB TEST 5 DAYS BEFORE PROCEDURE DATE